

Konverteringstabell Statoil till FUCHS

Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
MOTOROLJOR FÖR LÄTTA FORDON				
LazerWay C3 5W-40 PRO Synthetic C 5W-40	TITAN GT1 SAE 5W-40 XTL	ACEA C3 API SN/SM FORD M2C917-A	BMW LONGLIFE-04, MB-APPROVAL 226.5, MB-APPROVAL 229.31, PORSCHE A40, RENAULT RN0700/RN0710, VW 502 00/505 00/505 01.	API CF, FIAT 9.55535-S2.
LazerWay 5W-20	TITAN Supersyn F ECO-B SAE 5W-20	ACEA A1/B1 API SN	FORD M2C948-B JAGUAR LAND ROVER STJLR.03.5004.	CHRYSLER MS 6395, FORD M2C925-A, FORD M2C925-B.
LazerWay 5W-50	TITAN Supersyn SAE 5W-50	–	–	ACEA A3/B4, API SL/CF.
LazerWay C1 5W-30	TITAN GT1 PRO C-1 SAE 5W-30	ACEA C1	JAGUAR LAND ROVER STJLR.03.5005.	JASO DL-1, FORD WSS-M2C934-B.
LazerWay C2 5W-30	TITAN GT1 PRO C-2 SAE 5W-30	ACEA C2 API SN/SM	PSA B71 2290.	API CF, FIAT 9.55535-S1, IVECO 18-1811 CLASSE SC1.
LazerWay C3 5W-30	TITAN GT1 PRO FLEX SAE 5W-30 XTL	ACEA C3 API SN/SM	BMW LONGLIFE-04, dexos2™ (GB2C0209075), MB-APPROVAL 229.51, MB-APPROVAL 229.52, VW 502 00/505 00/505 01.	FIAT 9.55535-S3, FORD M2C917-A, GM-LL-A-025, GM-LL-B-025.
LazerWay C4 5W-30	TITAN GT1 PRO C-4 SAE 5W-30	ACEA C4	MB-APPROVAL 226.51 RENAULT RN0720.	–
LazerWay F 5W-30	TITAN Supersyn F Eco-DT SAE 5W-30	ACEA A1/B1 ACEA A5/B5 API SL FORD M2C913-C	FORD M2C913-D, JAGUAR LAND ROVER, STJLR.03.5003.	API CF, CHRYSLER MS 6395, FORD M2C913-A, FORD M2C913-B, IVECO 18-1811 CLASSE S1/S2, JAGUAR M2C913-B, RENAULT RN0700.
LazerWay LL 5W-30	TITAN GT1 PRO C-3 SAE 5W-30 XTL	ACEA C3 API SN	BMW LONGLIFE-04, MB-APPROVAL 229.51, PORSCHE C30, VW 504 00/507 00.	FIAT 9.55535-S3, FORD M2C917-A.
LazerWay V 0W-30	TITAN Supersyn FE SAE 0W-30	ACEA A5/B5 API SL	VOLVO VCC 95200377.	RENAULT RN0700.
ClassicWay 20W-50	TITAN FORMULA SAE 20W-50	ACEA A3/B4 API SN/SM/CF	–	VW 505 00, MB-Approval 229.1.
LazerWay TDI 5W-40 PRO Synthetic 5W-40 SuperWay 5W-40	TITAN Supersyn LONGLIFE SAE 5W-40	ACEA A3/B4 API SN	BMW LONGLIFE-01, MB-APPROVAL 226.5, MB-APPROVAL 229.5, PORSCHE A40, RENAULT RN0700/RN0710, VW 502 00/505 00.	API CF, GM-LL-B-025, PSA B71 2296.
SuperWay 10W-40 PRO Semi Synt 10W-40 SuperWay TDI 10W-40 ClassicWay 10W-40 PRO Traditional 10W-40	TITAN SYN MC SAE 10W-40	ACEA A3/B4 API SN	MB-APPROVAL 229.1, MB-APPROVAL 229.3, PSA B71 2300, RENAULT RN0700/RN0710, VW 502 00/505 00.	API CF, FIAT 9.55535-D2/G2.
RACINGOLJOR				
RacingWay HP 25W-50	TITAN RACE HP SAE 25W-50	API SL, SJ, SH	–	–
RacingWay MC 10W-40	SILKOLENE PRO 4 SAE 10W-40 XP	API SM/SN JASO MA2	–	–



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
MOTOROLJOR FÖR TUNGA FORDON				
MaxWay 10W-40	TITAN TRUCK PLUS SAE 10W-40	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1-a/ ECF-2	DEUTZ DQC III-10, MACK EO-N MAN M 3275-1, MB-APPROVAL 228.3, MTU DDC TYPE 2, RENAULT RLD-2, VOLVO VDS-3.	CUMMINS CES, 20076/20077/20078, Scania LDF-2.
MaxWay 10W-30	TITAN TRUCK PLUS SAE 10W-30	ACEA E7 API CI-4, API SL	Deutz DQC III-10, Volvo VDS-3 MTU Type 2, Mack EO-N Renault VI RLD-2.	MB-Approval 228.3, MAN M 3275-1, CES 20076, CES 20077, Deutz DQC III-10, CAT ECF-2 CES 20078.
MaxWay 15W-40 PowerWay 15W-40 (4L)	TITAN TRUCK PLUS SAE 15W-40	ACEA E7 API CI-4/SL GLOBAL DHD-1 CAT ECF-1-a/ ECF-2	CUMMINS CES 20076/7/8, DETROIT DIESEL 93K215, DEUTZ DQC III-10, MACK EO-N, MAN M 3275-1, MB-APPROVAL 228.3, MTU DDC TYPE 2, RENAULT RLD/RLD-2, VOLVO VDS-3.	ALLISON C-4, CAT TO-2, CASE MS 1121, CUMMINS CES 20071/2, IVECO 18-1804 CLASSE T2 E7, NH 330H.
MaxWay E9 10W-30	TITAN CARGO SAE 10W-30	ACEA E9 API CJ-4/SN CAT ECF1-a/ ECF-2/ECF-3	DEUTZ DQC III-10 LA, MACK EO-O PREMIUM PLUS, MAN M 3575, MB-APPROVAL 228.31, RENAULT RLD-3, VOLVO VDS-4.	CUMMINS CES 20081 MTU DDC TYPE 2.1.
MaxWay E9 15W-40	TITAN CARGO SAE 15W-40	ACEA E9 API CJ-4/CI-4 PLUS/CI-4/SM CAT ECF-2/ECF-3 JASO DH-2	CUMMINS CES 20081, DEUTZ DQC III-10 LA, DETROIT DIESEL 93K218, MACK EO-O PREMIUM PLUS, MAN M 3275-1, MAN M 3575, MB-APPROVAL 228.31, MTU DDC TYPE 2.1, RENAULT RLD-3, VOLVO VDS-4.	ALLISON C-4.
MaxWay Ultra 5W-30	TITAN CARGO SL SAE 5W-30	ACEA E7/E4	DEUTZ DQC IV-10, FORD WSS- M2C212-A1, MACK EO-N, MAN M 3277, MB-APPROVAL 228.5, MTU DDC TYPE 3, RENAULT RXD/RLD-2, SCANIA LDF-3, VOLVO VDS-3.	CUMMINS CES 20077, IVECO 18-1804 CLASSE TFE, SCANIA LDF-2.
MaxWay Ultra E4 10W-40	TITAN CARGO LD3 SAE 10W-40	ACEA E7/E4	MACK EO-N, MAN M 3277, MB-APPROVAL 228.5, RENAULT RLD-2, SCANIA LDF-3, VOLVO VDS-3.	API CF.
MaxWay Ultra E6 5W-30	TITAN CARGO MAXX SAE 5W-30 XTL	ACEA E9/E7/ E6/E4 API CJ-4 CAT ECF-3	DEUTZ DQC IV-10 LA, DETROIT DIESEL 93K218, MACK EO-O PREMIUM PLUS, MAN M 3271-1 MAN M 3477, MAN M 3575 MAN M 3677, MB-APPROVAL 228.31, MB-APPROVAL 228.51 MTU DDC TYPE 2.1, MTU DDC TYPE 3.1, RENAULT RLD-3, SCA- NIA LA, VOLVO VDS-4.	CUMMINS CES 20081, IVECO 18-1804 CLASSE TLS E6.
MaxWay Ultra E6 10W-40	TITAN CARGO MAXX SAE 10W-40 XTL	ACEA E9/E7/ E6/E4 API CJ-4 JASO DH-2 CAT ECF-3	DETROIT DIESEL 93K218, DEUTZ DQC IV-10 LA, MACK EO-O PREMIUM PLUS, MAN M 3271-1, MAN M 3477, MAN M 3575, MB-APPROVAL 228.31, MB-APPROVAL 228.51, MTU DDC TYPE 2.1, MTU DDC TYPE 3.1, RENAULT RLD-3, SCANIA LA, VOLVO VDS-4.	CUMMINS CES 20081, IVECO 18-1804 CLASSE TLS E9, IVECO 18-1809 CLASSE NG2, VOITH-RETARDER „B“.
PowerWay 15W-40 (ej 4L)	TITAN UNIVERSAL HD SAE 15W-40	ACEA A3/B3/B4 API SL	DEUTZ DQC I-02, MB-APPROVAL 228.1, MB-APPROVAL 229.1, MTU DDC TYPE 2.	ACEA E2, API CG-4/CF, MIL-L-2104 E, ALLISON C-4, CASE MS 1120, MACK EO-L, MAN 271, NH 330G, STEYR A-202, VOLVO VDS, VW 501 01/505 00.



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
OLJOR FÖR TUNGA FORDON MED GASDRIFT				
PowerWay GE LA 15W-40	TITAN CARGO PRO GAS SAE 15W-40	–	CUMMINS CES 20074.	API CF/CF-4/CG-4/CF-2/CE/CD, DETROIT DIESEL 93K216.
MOTOROLJOR FÖR RÄLSFORDON				
TrainWay 40	TITAN RAILGEN 13 SAE 40	–	GE Generation 4LL, GM - EMD GENERATION 5.	API CD/CF, LMOA GENERATION 5, CATERPILLAR 3600.
MONOGRADEOLJOR				
GardenWay	GARDENWAY	API CF/SG	–	–
PowerWay 10W	TITAN UNIVERSAL HD SAE 10W	–	MAN 270, MB-APPROVAL 228.0, ZF TE-ML 03B (ZF002013).	ACEA E2, API CF-4/SG, MIL-L-2104 D, ALLISON C-4, CAT TO-2, ZF TE-ML 02C.
PowerWay 30	TITAN UNIVERSAL HD SAE 30	–	DEUTZ DQC I-02, MB-APPROVAL 228.2, MTU DDC TYPE 2, ZF TE-ML 04B (ZF001189).	ACEA E2, API CF-4/SG, MIL-L-2104 D, ALLISON C-4, CAT TO-2, MAN 270, ZF TE-ML 02C.
PowerWay 40	TITAN UNIVERSAL HD SAE 40	–	DEUTZ DQC I-02, MB-APPROVAL 228.2, MB-APPROVAL 235.12, MTU DDC TYPE 2, ZF TE-ML 04B (ZF001190).	ACEA E2, API CF-2/CF-4/SG, MIL-L-2104 D, ALLISON C-4, CAT TO-2, MAN 270, ZF TE-ML 02C.
GASMOTOROLJOR				
PowerWay GE 40	POWERWAY GE 40	–	–	–
GenWay LA Plus 40	GENWAY LA PLUS 40	–	Rolls-Royce BV-G, Rolls-Royce CR-G, Rolls-Royce K-G1, G2, G3.	–
GenWay MA Plus 40	GENWAY MA PLUS 40	–	–	–
MARINMOTOROLJOR FÖR 2-TAKTSMOTORER				
AquaWay	AQUAWAY	–	NMMA TC-W3.	–
MONOGRADE MARINMOTOROLJOR				
MarWay 1030	MARWAY 1030	API CF, MIL-L-2104D	MAN B&W Alpham, MAN Diesel, Rolls-Royce Bergen Diesel, Wärtsilä.	–
MarWay 1040	MARWAY 1040	API CF, MIL-L-2104D	MAN B&W Alpham, MAN Diesel, Rolls-Royce Bergen Diesel, Wärtsilä.	–
MarWay 1530	MARWAY 1530	API CD, MIL-L-2104C, SAE 30	–	MAN B&W, Wärtsilä Ulstein Bergen.
MarWay 1540	MARWAY 1540	API CD, MIL-L-2104C, SAE 40	–	MAN B&W, Wärtsilä Ulstein Bergen.
MarWay 2530	MARWAY 2530	–	–	MAN B&W, Wärtsilä Sulzer.
MarWay DD 40	MARWAY DD 40	API CF-2 (Detroit 2-T Diesel)	–	–
2-TAKTSOLJOR				
2-Tway Low Smoke	2-Tway Low Smoke	ISO-L-EGD, JASO FD	–	HVA 346.
2-Tway Snowmobile	2-Tway Snowmobile	ISO-L-EGD, JASO FD	–	HVA 232, 242, 346, Rotax 277 Snowmobile test.
RacingWay 2T	RacingWay 2T	ISO-L-EGD, JASO FD	–	HVA 346, 372, Rotax 277 Snowmobile test.



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
TRANSMISSIONSOLJOR FÖR LÄTTA OCH TUNGA FORDON				
GearWay EP5 80W-90	TITAN SUPERGEAR SAE 80W-90	API GL-4/GL-5	MAN 342 TYPE M2, ZF TE-ML 05A, 12E, 17B, 19B, 21A (ZF000647).	MIL-L-2105 D, VOLVO 97310.
GearWay G1 80W-90	TITAN SUPERGEAR 97305 SAE 80W-90	API GL-1	VOLVO 97305.	–
GearWay G4 80W	TITAN GEAR MP SAE 80	API GL-4	MB-APPROVAL 235.1, ZF TE-ML 17A (ZF000654).	BMW 81 22 9 407 052, BMW 81 22 9 407 053, FORD M2C9008-A, VW TL 726, ZF TE-ML 08.
GearWay G5 80W-90	TITAN GEAR HYP LD SAE 80W-90	API GL-5, API MT-1, SAE J2360	DETROIT DIESEL 93K219.02, MAN 342 TYPE M3, MB-APPROVAL 235.20, ZF TE-ML 05A, 12L, 12M, 16B, 17B, 19B, 21A (ZF000645).	MIL-PRF-2105 E, ARVIN MERITOR 0-76-D, MACK GO-J, JOHN DEERE JDM J11E, SCANIA STO 1:0, ZF TE-ML 07A.
GearWay G5 80W-140	TITAN GEARWAY G5 SAE 80W-140	API GL-5, GL-4, MT-1	SCANIA STO 1:0.	Mil L-2105E, Arvin Meritor 076D, 076A, SAE J 2360, GO GO-J.
GearWay LS S5 75W-90	TITAN GEARWAY LS S5 SAE 75W-90	API GL-5	–	ZF TE ML 05C, 21C.
GearWay LS5 80W-90	TITAN GEARWAY LS5 SAE 80W-90	API GL-5	–	Mil L-2105D, ZF TE ML 05C, 12C, 16E, 21C.
GearWay LS5 80W-140	TITAN GEARWAY LS5 SAE 80W-140	API GL-5	–	MIL L-2105D, ZF TE-ML 05C, ZF TE-ML 12C, ZF TE-ML 16E, ZF TE-ML 21C.
GearWay PS 45 75W-90	GEARWAY PS 45 75W-90	API GL-4/GL-5	–	MAN 341 Z2, SAE J2360 MIL-PRF-2105E, Scania STO 1:0, Mack GO-J, Arvin Meritor 076-N.
GearWay S4 75W-80	TITAN GEARWAY S4 SAE 75W-80	API GL-4	ZF TE-ML 01L, 02L, 16K.	MAN 341 Z4, MAN 341 E3 , Volvo 97307.
GearWay S4 V 75W-80	GEARWAY S4 V 75W-80	API GL-4	Voith Retarder C.	MAN 341 Type VR, Volvo 97307.
GearWay S5 75W-140	TITAN GEARWAY S5 SAE 75W-140	API GL-4, API GL-5	SCANIA STO 1:0.	ZF TE ML 05B, 12B, 16F, 19C, MIL PRF-2105E, Arvin Meritor 076-N.
GearWay S5 75W-90	TITAN GEARWAY S5 SAE 75W-90	API MT-1, API GL-4, API GL-5	MB-APPROVAL 235.8, VOLVO 97312, ZF TE ML 05B, 12L, 12N, 16F, 17B, 19C, 21B.	MAN 342 S1, MAN 341 Z2, MAN 341 E3, MAN 342 M3 , MIL-PRF-2105E, Arvin Meritor 076-N, Scania STO 1:0.
OMV GEAR OIL MPX SAE 75W-90	TITAN CYTRAC MB SYNTH SAE 75W-90	API GL-4	MAN 341 TYPE MB, MB-APPROVAL 235.11.	ZF TE-ML 08.
HYDRAULTRANSMISSIONSOLJOR (UTTO)				
GearWay LS WB	TITAN GEARWAY LS WB	API GL-5	–	Mil L-2105D, ZF TE ML 05C, 12C, 16E, 21C.
TransWay AC 10W	TITAN UTTO TO-4 SAE 10W	API GL-4 CAT TO-4 KOMATSU KES 07.868.1	–	ALLISON C-4, ZF TE-ML 03C.
TransWay AC 30	TITAN UTTO TO-4 SAE 30	API GL-4 CAT TO-4 KOMATSU KES 07.868.1	ZF TE-ML 03C, 07F (ZF000709).	ALLISON C-4, ALLISON TES-439.



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
TransWay AC 50	TITAN UTTO TO-4 SAE 50	API GL-4 CAT TO-4 KOMATSU KES 07.868.1	–	–
TransWay FD-1 60	TITAN GEAR FD SAE 60	CAT FD-1	–	–
TransWay WB	TITAN TRANSWAY WB	API GL-4 SAE J 300 10W-30	VOLVO TRANSMISSION OIL 97303: 039 (WB101).	Allison C-4, CAT TO-2, CASE MS 1207/1209/1210, CNH, MAT3505/MAT3509/ MAT3525/MAT3540, Fendt, FNHA-2-C-200.00/201.00, Ford ESN-M2C86-B/-M2C86-C/ M2C134-D, JDM J20C/J20D, Kubota UDT Fluid, MF CMF M1135/M1141/M1143/M1145, ZF TE-ML 03E/05F/06K/17E/21F.
TransWay WB Bio	PLANTO HYTRAC PLUS	SAE 10W-30 SAE 80	–	Several makes of tractors.
TransWay WB LL PS	TITAN TRANSWAY WB LL PS	SAE J 300 5W-20/75W	–	Allison C-4, CAT TO-2, CASE MS 1207/1209/1210, CNH MAT3505/MAT3509/ MAT3525/MAT3540, Fendt, FNHA-2-C-200.00/201.00, Ford ESN-M2C86-B/-M2C86-C/ M2C134-D, JDM J20C/J20D, Kubota UDT, Fluid, MF CMF M1135/M1141/M1143/M1145, ZF TE-ML 03E/05F/06K/17E/21F.
OLJOR FÖR AUTOMATISKA TRANSMISSIONER (ATF)				
TransWay A 52	TITAN ATF 10	–	MB-APPROVAL 236.2.	TASA, MAN 339 TYPE A.
TransWay ATF Extra	TITAN TRANSWAY ATF EXTRA	–	–	MAN 339 Type V1/Z2, MB-App- roval 236.6, 236.10/236.11, Volvo 97341, Volvo passenger car (4 to 6 speed AT), ZF TE-ML 11A/11B/14B, Voith DIWA 55.6335, Ford Mercon V, Ford FNR5, BMW ETL-7045E/-8072B/ LA2634/LT71141, VW G 055 025 A2/G 052 162 A1/G 052 990, Allison C-4/TE5-295, Chrysler ATF +3/+4, Mitsubishi Diamond SP- II/-III, JASO-1A, GM Dexron IIIH/VI, Honda Z-1, Hyundai: SP-II/-III, Kia SP-II/-III/Red-1, Mazda ATF-M III/- MV, Nissan N402/Matic-D/J/K, Su- baru ATF-HP, Suzuki 3317/3314, Toyota T-II/-III/-IV, Daimler NAG-1, Idemitsu K17, Mopar AS68RC.
TransWay ATF Ultra	TITAN TRANSWAY ATF ULTRA	–	MB-Approval 236.6, ZF TE -ML 04D, 14C, 16M, 20C, Voith DIWA 55.6336.	MAN 339 typ Z3, MAN 339 TYP V2, Volvo 97341, ZF TE -ML 02F, 11A, 11B, 17C, Mercon V, Allison C-4.
TransWay DX II	TITAN ATF 3000	–	MAN 339 TYPE L2, MAN 339 TYPE V1, MAN 339 TYPE Z1, MB-APPROVAL 236.1, VOITH H55.6335.xx, ZF TE-ML 04D, 14A (ZF000720).	DEXRON II (D), ALLISON C-4, BMW 81 22 9 400 272, BMW 81 22 9 400 275, BMW 81 22 9 407 738, CAT TO-2, FORD MERCON, FORD M2C185-A, FORD M2C138-CJ, FORD M2C166-H, FORD M2C9010-A, OPEL 19 40 700, OPEL 19 40 707, RENK-DOROMAT, ZF TE-ML 02F, 03D, 09, 11A, 17C.



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
TransWay PS DX III	TITAN ATF 4000	–	ALLISON C-4, ALLISON TES 389, DEXRON III (H), MAN 339 TYPE L1, MAN 339 TYPE V1, MAN 339 TYPE Z1, MB-APPROVAL 236.1, MB-APPROVAL 236.9, VOITH H55.6335.xx, VOLVO 97341, ZF TE-ML 04D, 14A (ZF000728).	BMW 81 22 9 400 272, BMW 81 22 9 400 275, BMW 81 22 9 407 738, BMW 83 22 0 403 248, BMW 83 22 9 407 765, BMW 83 22 9 407 807, BMW 83 22 9 407 858, BMW 83 22 9 407 859, CAT TO-2, FORD MERCON, OPEL 19 40 707, OPEL 19 40 767, VW TL 521 62 (G 052 162), ZF TE-ML 02F, 03D, 09, 11B, 17C.
TransWay Type G	TITAN ATF 33	Ford ESW-M2C33-F Ford ESW-M2C33-G Volvo 97330	–	–
ZF-ECOFUID A PLUS	ZF-ECOFUID A PLUS	–	ZF TE-ML 04, 14E, 16N, 16Q, 20F, MAN 339 Type Z-4, Z-13.	–
MARIN TRANSMISSIONSOLJA				
GearWay Outboard	TITAN MARIN GEAR SAE 80W-90	API GL-4	–	–
CENTRALHYDRAULOLJOR				
PENTOSIN CHF 11S	PENTOSIN CHF 11S	DIN 51 524 T3 ISO 7308 FORD M2C204-A	CHRYSLER MS-11655B, MAN M 3289, MB-APPROVAL 345.0, PSA S712710, ZF TE-ML 02K (ZF000832), VW TL 52 146 (G 002 000).	BENTLEY JNV862564F, BMW 81 22 9 407 758, BMW 82 11 1 468 041, BMW 83 29 0 429 576, FENDT X 902 011 622, OPEL B 040 0070, PORSCHE 000 043 203 33, SAAB 3032 380, VOLVO 1161529.
PENTOSIN LHM+	PENTOSIN LHM+	ISO 7308	PSA B71 2710.	FIAT 9.55597, IVECO 18-1823, MASSEY FERGUSON, NH 610A, SDFG OF1611S.
STOU OLJOR				
MultiWay 10W-30	AGRIFARM STOU MC SAE 10W-30	API GL-4 SAE J300: SAE 10W-30	DEUTZ DQC I-02, ZF TE-ML 06B, 06F, 07B (ZF000733).	AFNOR NFE 48603 HV, DIN 51524-3: HVLP (-D), ACEA E3, API CG-4, ALLISON C-4, CASE MS 1207, 1209, 1210, 1230, CNH MAT 3505, 3509, 3525, 3526, FORD M2C48-C3, M2C86-B, M2C134-D, M2C159-B/C, JOHN DEERE JDM J20 C, NEW HOLLAND 82009201/2/3, NH 410B, 420A, MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135, SAE J306: SAE 75W-80, ZF TE-ML 06A, 06C.
MultiWay PS 10W-40	AGRIFARM STOU MC SAE 10W-40	API GL-4 SAE J300: SAE 10W-40	DEUTZ DQC I-02, FENDT KDM 17/2012, ZF TE-ML 06B, 06F, 07B (ZF000729).	API GL-5 in tractors*, ACEA E3 API CG-4, MAN 271, AFNOR NFE 48603 HV, ALLISON C-4, CASE MS 1207, 1209, 1210, 1230, CNH MAT 3505, 3509, 3525, 3526, DIN 51524-3: HVLP (-D), FORD M2C134-D, M2C159-B/C, FNHA 2C-200.00, 201.00, FORD M2C48-C3, M2C-86 B, JOHN DEERE JDM J20C, NEW HOLLAND 82009201/2/3, NH 030C, 330G, 410B, 420A, 526C, MASSEY FERGUSON CMS M 1145, 1144, 1143, 1139, 1135, SAE J306: SAE 75W-90, ZF TE-ML 06A, 06C, 06L. * without HOLMER



Konverteringstabell Statoil till FUCHS Automotive

Statoil produkt	FUCHS produkt	Specifikationer	Godkännanden	FUCHS rekommendationer
KYLARVÄTSKOR				
Anti Freeze HD	Anti Freeze HD	ASTM D3306 ASTM D4656 ASTM D4985	–	–
Anti Freeze	Anti Freeze	BS 6580	–	–
Anti Freeze LL	Anti Freeze LL	–	ASTM D3306, ASTM D4656, ASTM D4985.	–
Anti Freeze MPG 48	Anti Freeze MPG 48	–	–	–
Anti Freeze MPG	Anti Freeze MPG	–	ASTM D 5216.	–
Anti Freeze Premium	Anti Freeze Premium	–	–	–
Anti Freeze Yellow	Anti Freeze Yellow	–	ASTM D3306, ASTM D4656, ASTM D4987.	–
BROMSVÄTSKA				
Brake Fluid DOT 5.1	MAINTAIN DOT 5.1	FMVSS NR. 116 DOT 5.1 ISO 4925 CLASS 3/4/5.1 SAE J 1703/J 1704	–	–

